



**SURROUND YOURSELF WITH  
HIGH-PERFORMANCE FAXING**

# FAX3320L/FAX4430NF



## Powerful, feature-rich faxing keeps productivity high

The Rex-Rotary FAX3320<sub>L</sub> and FAX4430<sub>NF</sub> are high performance faxes with the powerful features you need to keep business moving. With Super G3 capability, they send and receive more documents, more efficiently, in less time, delivering unparalleled productivity for the busy office. These reliable faxes store and handle large documents with ease and include user-controlled security features for safe and reliable transmission.

The innovative FAX3320<sub>L</sub> and FAX4430<sub>NF</sub> make faxing fast and simple with easy one-touch dialling, high capacity and automated paper handling. The FAX4430<sub>NF</sub> provides extended functionality for networked users with advanced IP faxing, multiplex faxing and high-quality colour scanning.

For effortless and productive faxing, the FAX3320<sub>L</sub> and FAX4430<sub>NF</sub> are highly efficient and cost-effective choices.




*Rex-Rotary's unique approach, links people with knowledge and expertise, combining our wide experience of innovative, document related Products and Software Solutions with our world class Business and Professional Services to deliver the best Total Document Solutions for your business.*


Super G3 faxing lowers costs by significantly reducing the time taken to send and receive documents



Highly productive faxing at the touch of a button with Quick-Dial, Speed-Dial and Group-Dial features



Control access to the FAX3320L and FAX4430NF with PIN activated security features



#### **Fast, cost-effective faxing**

The Rex-Rotary FAX3320L and FAX4430NF significantly reduce call time thanks to fast, efficient Super G3 transmission. This minimizes costs by allowing more documents to be sent and received within a given time frame.

#### **Save valuable user time**

The FAX3320L and FAX4430NF reduce the time users need to spend at the device with high-speed scanning and fax printing of 15 pages per minute. Time is saved and productivity is enhanced as hard copy originals are returned and incoming faxes are received quickly.

#### **Reliable transmission and storage**

Faxing with the FAX3320L and FAX4430NF is safe and seamless. Even large documents can be scanned and stored for smooth uninterrupted transmission. There is also a reassuring 12-hour memory back-up, so in the event of a power failure your faxes and their settings can be restored easily.

#### **Confidentiality and access control**

Users can apply on-board security settings when sending and receiving sensitive documents. Access to received faxes can be controlled via the memory lock, preventing confidential documents from being left out on display.

#### **Easy-to-use and highly productive**

The Rex-Rotary FAX3320L and FAX4430NF make light work of scanning and sending multi-page documents with the Automatic Document Feeder and a large internal memory. Dialling is simple with all your frequently used numbers stored and accessed via the user-friendly control panel. You can send faxes to single or multiple recipients at the touch of a button with the powerful Quick-Dial, Speed-Dial and Group-Dial features.

#### **Colour scan and Scan-to-Email**

Achieve advanced productivity with the enhanced scanning on the network-ready FAX4430NF. Scan and save full colour documents to your PC in a choice of file formats preserving the colour quality and impact of the original. Scan-to-Email outperforms traditional document communications by enabling you to scan and send directly to an email address from the control panel.

#### **Advanced time and money-saving technology**

The network-ready FAX4430NF helps reduce call charges with cost-efficient features including Internet faxing for connected users. Standard IP faxing allows exchange of faxes via IP addresses and LAN faxing across the network is available from your desktop. The FAX4430NF also supports Multiplex faxing for simultaneous sending and receiving, so the device is always ready for instant action.

#### **In Harmony with the Environment**

Our products are designed to be kinder to the environment. We are committed to developing technologies that conserve energy and help prevent global warming. Our aim is to reduce the impact on the global environment, whilst continuing to enhance user comfort levels. The FAX3320L and FAX4430NF's quick transmission speeds combined with energy-saver mode help reduce power consumption.

#### **Outstanding Software and Services**

Improving productivity, workflow efficiency and cost control is easy with Rex-Rotary. Designed to add value and ensure our devices operate seamlessly and reliably, we cover every aspect of your business from document management, network control and consultancy, to training and unrivalled support.

# SPECIFICATIONS

# FAX3320L/FAX4430NF



## General

### Type

Desktop type transceiver

### Circuit

PSTN, PABX

### Compatibility

ITU-T (T.30) group 3 machines  
FAX4430NF: ITU (T.37) Internet Fax  
ITU (T.38) IP Fax

### Interface

Network Port Ethernet 10 base-T/100 base-TX

### LAN Fax

Yes

### Network Utility

Web Status Monitor

### Modem speed

Maximum 33.6Kbps

### Transmission speed

FAX3320L: 3 seconds  
FAX4430NF: 2 seconds

### Compression method

MH, MR, MMR, JBIG

### Quick dial

FAX3320L: 30 numbers  
FAX4430NF: 90 numbers

### Speed dial

FAX3320L: 100 numbers  
FAX4430NF: 200 numbers

### Paper input capacity

Standard:  
FAX3320L: 250-sheet paper tray  
FAX4430NF: 250-sheet paper tray  
100-sheet bypass tray  
Maximum:  
FAX3320L: 850 sheets  
FAX4430NF: 1,350 sheets

### ADF capacity

FAX3320L: 50 sheets  
FAX4430NF: 70 sheets

### Memory capacity

FAX3320L: 8MB (640 pages)<sup>1</sup>  
FAX4430NF: 16MB (1,280 pages)<sup>1</sup>

### Memory backup

12 hours

### Document size

A4

### Scan speed

FAX3320L: Less than 3 seconds  
FAX4430NF: 1.3 seconds

### Dimensions (W x D x H)

FAX3320L: 448 x 494 x 411mm  
FAX4430NF: 448 x 551 x 411mm

### Weight

FAX3320L: 19.5kg  
FAX4430NF: 23kg

### Power source

220 - 240 V, 50/60Hz

### Power consumption (energy saver mode)

FAX3320L: Less than 1.5W  
FAX4430NF: Less than 6W

### FAX4430NF Scan-to-Email (Colour<sup>2</sup>)

Resolution: Maximum 600 x 600dpi  
Output formats: TIFF/PDF/JPEG<sup>2</sup>

### Consumables

- Toner hopper magazine (yield: 5,000 sheets)<sup>1</sup>
- Photo conductor unit (yield: 45,000 sheets)

## Options

### FAX3320L

500-sheet paper tray  
100-sheet bypass tray  
ADF maintenance kit

### FAX4430NF

2 x 500-sheet paper tray  
ADF maintenance kit  
G3 unit (for second fax number)  
Colour unit

<sup>1</sup> Based on ITU-T #1 chart

<sup>2</sup> Optional

Company management systems applied during the manufacturing of all Rex-Rotary products conform to ISO9001 quality and ISO14001 environmental management standards.

As an ENERGY STAR program participant, Rex-Rotary has determined that this product meets the EC ENERGY STAR guidelines for energy efficiency.

In compliance with EU RoHS directive (RoHS: Restriction of Hazardous Substances).

We reserve the right to make amendments to the technical specifications and external appearance of this equipment. Please note that the full range of machines and options shown in this publication may not always be available. All brand and product names are recognized, and hereby acknowledged, as registered trademarks of their respective owners.



RFAX4430NF680

 **Rex-Rotary**

Part of the NRG group

[www.rexrotary.com](http://www.rexrotary.com)

